


25:1 VAWATERMELON

Sample ID: 2503AFL0514.2330
 Strain: VA WATERMELON
 Matrix: Ingestible
 Type: Soft Chew
 Unit Weight: 5.8334 g

Internal Lab ID: ATL-28037
 Received: 03/21/2025
 Completed: 04/04/2025
 Batch#: VAWTRMLN251-02

Client
Tillmans Tranquils
 Lic. #
 4757 sw 51st street Davie, FL 33314
 Davie, FL 33314



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	03/24/2025	Complete
Residual Solvents	03/28/2025	Pass
Microbials	03/31/2025	Pass
Pesticides	03/25/2025	Pass
Heavy Metals	04/04/2025	Pass
Foreign Matter	03/31/2025	Pass

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Basic Potency

Complete

0.20%

Total THC

5.54%

Total CBD

5.74%

Total Cannabinoids

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.00	ND	ND	CBN	0.00	ND	ND
CBDV	0.00	ND	ND	Δ9-THC	0.00	0.20	11.5
CBDa	0.00	ND	ND	Δ8-THC	0.00	ND	ND
CBGa	0.00	ND	ND	(6aR,9S)-d10-THC	0.00	ND	ND
CBG	0.00	ND	ND	(6aR,9R)-d10-THC	0.00	ND	ND
CBD	0.00	5.54	323.2	CBC	0.00	ND	ND
THCV	0.00	ND	ND	CBCa	0.00	ND	ND
Δ8-THCV	0.00	ND	ND	THCa	0.00	ND	ND
THCVa	0.00	ND	ND	Total	5.74	334.7	

Document ID: ATL-225, Rev 06, Effective Date: 18 March 2025; Date Tested: 03/24/2025
 15 servings per container.

NT
 Not Tested

Moisture Content


NT
 Not Tested

Water Activity

Pass

Foreign Matter




 Paulo Gonzalez
 Laboratory Director
 04/04/2025

Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com
Lic#

QA Testing

2 of 6

25:1 VAWATERMELON

Sample ID: 2503AFL0514.2330
Strain: VA WATERMELON
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 5.8334 g

Internal Lab ID: ATL-28037
Received: 03/21/2025
Completed: 04/04/2025
Batch#: VAWTRMLN251-02

Client
Tillmans Tranquils
Lic. #
4757 sw 51st street Davie, FL 33314
Davie, FL 33314

Pesticides

Pass

Analyte	Limit	Result	Status	Analyte	Limit	Result	Status	
Abamectin	300.0	PPB	ND	Pass	Fludioxonil	3000	PPB	ND
Acephate	3000	PPB	ND	Pass	Hexythiazox	2000	PPB	ND
Acequinocyl	2000	PPB	ND	Pass	Imazalil	100.0	PPB	ND
Acetamiprid	3000	PPB	ND	Pass	Imidacloprid	3000	PPB	ND
Aldicarb	100.0	PPB	ND	Pass	Kresoxim Methyl	1000	PPB	ND
Azoxystrobin	3000	PPB	ND	Pass	Malathion	2000	PPB	ND
Bifenazate	3000	PPB	ND	Pass	Metalaxyl	3000	PPB	ND
Bifenthrin	500.0	PPB	ND	Pass	Methiocarb	100.0	PPB	ND
Boscalid	3000	PPB	ND	Pass	Methomyl	100.0	PPB	ND
Captan	3000	PPB	ND	Pass	Mevinphos	100.0	PPB	ND
Carbaryl	500.0	PPB	ND	Pass	Myclobutanil	3000	PPB	ND
Carbofuran	100.0	PPB	ND	Pass	Naled	500.0	PPB	ND
Chlorantraniliprole	3000	PPB	ND	Pass	Oxamyl	500.0	PPB	ND
Chlordan	100.0	PPB	ND	Pass	Paclobutrazol	100.0	PPB	ND
Chlorfenapyr	100.0	PPB	ND	Pass	Parathion Methyl	100.0	PPB	ND
Chlormequat chloride	3000	PPB	ND	Pass	Pentachloronitrobenzene	200.0	PPB	ND
Chlorpyrifos	100.0	PPB	ND	Pass	Permethrin	1000	PPB	ND
Clofentezine	500.0	PPB	ND	Pass	Phosmet	200.0	PPB	ND
Coumaphos	100.0	PPB	ND	Pass	Piperonyl Butoxide	3000	PPB	ND
Cyfluthrin	1000	PPB	ND	Pass	Prallethrin	400.0	PPB	ND
Cypermethrin	1000	PPB	ND	Pass	Propiconazole	1000	PPB	ND
Daminozide	100.0	PPB	ND	Pass	Propoxur	100.0	PPB	ND
Diazinon	200.0	PPB	ND	Pass	Pyrethrins	1000	PPB	ND
Dichlorvos	100.0	PPB	ND	Pass	Pyridaben	3000	PPB	ND
Dimethoate	100.0	PPB	ND	Pass	Spinetoram	3000	PPB	ND
Dimethomorph	3000	PPB	ND	Pass	Spinosad	3000	PPB	ND
Ethoprophos	100.0	PPB	ND	Pass	Spiromesifen	3000	PPB	ND
Etofenprox	100.0	PPB	ND	Pass	Spirotetramat	3000	PPB	ND
Etoxazole	1500.0	PPB	ND	Pass	Spiroxamine	100.0	PPB	ND
Fenhexamid	3000	PPB	ND	Pass	Tebuconazole	1000	PPB	ND
Fenoxy carb	100.0	PPB	ND	Pass	Thiacloprid	100.0	PPB	ND
Fenpyroximate	2000	PPB	ND	Pass	Thiamethoxam	1000	PPB	ND
Fipronil	100.0	PPB	ND	Pass	Trifloxy strobin	3000	PPB	ND
Flonicamid	2000	PPB	Pass					

Date Tested: 03/25/2025
Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)




Paulo Gonzalez
Laboratory Director
04/04/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com
Lic#

QA Testing

3 of 6

25:1 VAWATERMELON

Sample ID: 2503AFL0514.2330 Internal Lab ID: ATL-28037
Strain: VA WATERMELON
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 5.8334 g

Client
Tillmans Tranquils
Lic. #
4757 sw 51st street Davie, FL 33314
Davie, FL 33314

Microbials

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Total Aerobic Count	10		NR	NT
Aspergillus (niger, fumigatus, flavus, terreus)	1	1	Not Detected in 1g	Pass
Bile-Tolerant Gram-Negative Bacteria			NR	NT
Shiga toxin-producing E. Coli	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Staphylococcus aureus	10		NR	NT
Total Combined Yeast and Mold	10	100000	ND	Pass

Document ID: ATL-235, Rev 02, Effective Date: 18 March 2025

Date Tested: 03/31/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

Foreign Matter

Analyte	Limit	Result	Status
	% by weight	% by weight	
Packaging Contaminants	0.01	ND	Pass
Insects	0.01	ND	Pass
Feces	0.005	ND	Pass
Mold	0.01	ND	Pass
FM Other		ND	Pass
Hair	0.01	ND	Pass

Document ID:

Date Tested: 03/31/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Heavy Metals

Analyte	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	
Arsenic	0.1	1.5	ND	Pass
Cadmium	0.1	0.5	ND	Pass
Lead	0.1	0.5	ND	Pass
Mercury	0.1	3	ND	Pass

Date Tested: 04/04/2025

Passed – Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed – Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034



Paulo Gonzalez
Laboratory Director
04/04/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com
Lic#

QA Testing

4 of 6

25:1 VAWATERMELON

Sample ID: 2503AFL0514.2330 Internal Lab ID: ATL-28037
Strain: VA WATERMELON
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 5.8334 g

Client
Tillmans Tranquils
Lic. #
4757 sw 51st street Davie, FL 33314
Batch#: VAWTRMLN251-02
Davie, FL 33314

Residual Solvents

Analyte	LOQ	Limit	Result	Status
1,1 Dichloroethene	0.7	8	ND	Pass
Ethylene Dichloride	0.2	2	ND	Pass
1,4-Dioxane			ND	Tested
2,2-Dimethyl-Butane			ND	Tested
2,3-Dimethyl-Butane			ND	Tested
2-Butanol			ND	Tested
2-Ethoxy-Ethanol			ND	Tested
2-Methyl-Pentane			ND	Tested
3-Methyl-Pentane			ND	Tested
Acetone	59	750	<59.000	Pass
Acetonitrile	5	60	ND	Pass
Benzene	0.08	1	ND	Pass
Butanes	0.2	5000	ND	Pass
Chloroform		2	ND	Pass
Cumene			ND	Tested
Cyclohexane			ND	Tested
Ethanol	79	5000	ND	Pass
Ethyl Acetate	20	400	<20.000	Pass
Ethyl-Benzene			ND	Tested
Ethyl Ether	40	500	ND	Pass
Ethylene Glycol	0.4	5	ND	Tested
Ethylene Oxide	40	5000	ND	Pass
Heptane		250	ND	Pass
Hexanes			ND	Pass
Isobutane			ND	Tested

ACCURATE
TEST LAB

Document ID: ATL-230, Rev 02, Effective Date: 18 March 2025

Date Tested: 03/28/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = $\pm 25\%$ considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez
Laboratory Director
04/04/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com
Lic#

QA Testing

5 of 6

25:1 VAWATERMELON

Sample ID: 2503AFL0514.2330 Internal Lab ID: ATL-28037
Strain: VA WATERMELON
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 5.8334 g

Client
Tillmans Tranquils
Lic. #
4757 sw 51st street Davie, FL 33314
Batch#: VAWTRMLN251-02
Davie, FL 33314

Residual Solvents

Analyte	LOQ	Limit	Result	Status
Isopentane	μg/g	μg/g	ND	Tested
Isopropanol	40	500	ND	Pass
Isopropyl-Acetate			ND	Tested
m+p Xylene			ND	Tested
Methanol	20	250	ND	Pass
Methylene Chloride	10	125	ND	Pass
Butane	71		ND	Tested
Hexane	5		ND	Tested
Pentane	59		ND	Tested
Neopentane			ND	Tested
o-Xylene			ND	Tested
Pentanes		750	ND	Pass
Propane	165	5000	ND	Pass
Tetrahydrofuran			ND	Tested
Toluene	12	150	ND	Pass
Trichloroethene	2	25	ND	Pass
Xylenes	12	150	ND	Pass


ACCURATE
TEST LAB

Document ID: ATL-230, Rev 02, Effective Date: 18 March 2025

Date Tested: 03/28/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001




Paulo Gonzalez
Laboratory Director
04/04/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>
Lic#

QA Testing

6 of 6

25:1 VAWATERMELON

Sample ID: 2503AFL0514.2330 Internal Lab ID: ATL-28037
Strain: VA WATERMELON
Matrix: Ingestible
Type: Soft Chew
Unit Weight: 5.8334 g

Client
Tillmans Tranquils
Lic. #
4757 sw 51st street Davie, FL 33314
Davie, FL 33314

Mycotoxins

Not Tested

Analyte	LOD	LOQ	Limit	Result	Status
---------	-----	-----	-------	--------	--------



Date Tested:




Paulo Gonzalez
Laboratory Director
04/04/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

